



SNR THRUST BEARINGS CO.,LTD



80 mm x 140 mm x 26 mm NTN 7216DF
angular contact ball bearings

Bearing No. 7216DF

7216DF Bearing 2D drawings and 3D CAD models

Size	80x140x26 mm
Bore Diameter	80 mm
Outer Diameter	140 mm
Width	26 mm
d	80 mm
D	140 mm
B	26 mm
ra1 max.	1 mm
Angle (°)	25 °
a	45 mm
r min.	2 mm
r1 min.	1 mm
2B	52 mm
Da max.	130 mm
db min	85,5 mm
ra max.	2 mm
Weight	2,78 Kg
Basic dynamic load rating (C)	145 kN
Basic static load rating (C0)	152 kN
(Grease) Lubrication Speed	3 900 r/min
Category	Angular Contact Ball Bearings
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A



SNR THRUST BEARINGS CO.,LTD

Weight / Kilogram	2.91
EAN	4547359445428
Product Group	B00308
Enclosure	Open
Flush Ground	Yes
Rolling Element	Ball Bearing
Number of Rows of Balls	Single Row
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Snap Ring	No
Cage Material	Steel
Contact Angle	30 Degree
Internal Clearance	C0-Medium
Number of Bearings	2 (1 Pair)
Mounting Arrangement	Duplex-Face to Face
Inch - Metric	Metric
Long Description	80MM Bore; 140MM Outside Diameter; 52MM Width; Open; Yes Flush Ground; Ball Bearing; Single Row of Balls; ABEC 1 ISO P0; No Filling Slot; No Snap Ring
Category	Angular Contact Ball Bearing
UNSPSC	31171531
Harmonized Tariff Code	8482.10.50.28
Noun	Bearing
Keyword String	Angular Contact
Manufacturer URL	http://www.ntnamerica.com
Manufacturer Item Number	7216DF
Weight / LBS	6.409
Bore	3.15 Inch 80 Millimeter



SNR THRUST BEARINGS CO.,LTD

Width	2.047 Inch 52 Millimeter
Outside Diameter	5.512 Inch 140 Millimeter